



262 FISHERMAN



SPECIFICATIONS	US	METRIC
LOA	26'4"	8.02 m
Beam	9'0"	2.74 m
Fuel Capacity	158 gal	598 L
Approx. Draft Up	20"	51 cm
Approx. Draft Down	37"	94 cm
Maximum Capacity	Yacht	1700 kg
Persons Capacity	Yacht	10 CE
Approx. Boat Weight	5550 lbs	2520 kg
Approx. Boat & Engine Weight	6800 lbs	3084 kg
Max HP	500 hp	373 kw
Deadrise	21°	21°
Bridge Clearance w/T-Top	8'8"	2.64 m
Keel to Top of T-Top	10' 2"	3.10 m
Keel to Top of Windshield	8' 2"	2.49 m
Trailer Height w/T-Top	11'9"	3.58 m
Trailer Height w/o T-Top	9'10"	3.00 m

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weight	
	HP	KW	LBS	KG
Mercury® 300XXL Verado	300	224	6360	2890
Mercury® 350XXL Verado	350	261	6360	2890
Twin Mercury® 150XL FourStroke	300	224	6640	3010
Twin Mercury® 200XL FourStroke DTS	400	298	6740	3060
Twin Mercury® 250XL Verado	500	373	7020	3180
Yamaha® F300UCB	300	224	6280	2850
Twin Yamaha® F150XB	300	224	6680	3030
Twin Yamaha® F200XB & F200XCB	400	298	6680	3030
Twin Yamaha® F250XCB	500	373	6840	3100



PERFORMANCE

Power HP/ KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Mercury® 300XXL Verado	145/8 X 17	37 X 43	SST	42-45	68-72	300	485
Mercury® 350XXL Verado	145/8 X 17	37 X 43	SST	45-48	72-77	300	485
Twin Mercury® 150XL FourStroke	14 X 19	36 X 48	SST	44-47	71-76	280	450
Twin Mercury® 200XL FourStroke DTS	143/4 X 21	37 X 53	SST	52-55	84-89	280	450
Twin Mercury® 250XL Verado	143/4 X 21	37 X 53	SST	57-60	92-97	270	435
Yamaha® F300UCB	153/4 X 15	40 X 38	SST	42-45	68-72	300	485
Twin Yamaha® F150XB	141/4 X 17	36 X 43	SST	44-47	71-76	270	435
Twin Yamaha® F200XB & F200XCB	141/4 X 17	36 X 43	SST	52-55	84-89	260	420
Twin Yamaha® F250XCB	15 X 21	38 X 53	SST	57-60	92-97	270	435

MERCURY® 300XXL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	3	11
2500 rpm	9	14	5	19
3000 rpm	10	16	7	26
3500 rpm	13	21	9	34
4000 rpm	26	42	12	45
4500 rpm	31	50	15	57
5000 rpm	34	55	18	68
5500 rpm	38	61	20	76
6000 rpm	41	66	23	87
WOT	44	71	26	98

MERCURY® 350XXL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	3	11
2500 rpm	9	14	5	19
3000 rpm	10	16	7	26
3500 rpm	14	23	10	38
4000 rpm	27	43	14	53
4500 rpm	33	53	17	64
5000 rpm	36	58	21	79
5500 rpm	41	66	24	91
6000 rpm	44	71	27	102
WOT	47	76	31	117

TWIN MERCURY® 150XL FOURSTROKE

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	6	23
3000 rpm	21	34	7	26
3500 rpm	27	43	9	34
4000 rpm	32	52	10	38
4500 rpm	36	58	13	49



5000 rpm	40	64	18	68
5500 rpm	44	71	25	95
WOT	46	74	28	106

TWIN MERCURY®200XL FOURSTROKE DTS

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	7	26
3000 rpm	13	21	9	34
3500 rpm	33	53	14	53
4000 rpm	36	58	15	57
4500 rpm	43	69	18	68
5000 rpm	47	76	24	91
5500 rpm	50	81	31	117
6000 rpm	52	84	34	129
WOT	54	87	39	147

TWIN MERCURY®250XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	6	23
2500 rpm	10	16	11	42
3000 rpm	13	21	16	60
3500 rpm	34	55	18	68
4000 rpm	38	61	23	87
4500 rpm	45	72	29	109
5000 rpm	50	81	37	140
5500 rpm	54	87	44	166
6000 rpm	57	92	49	185
WOT	59	95	52	197

YAMAHA® F300UCB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	3	11
2500 rpm	9	14	5	19
3000 rpm	10	16	7	26
3500 rpm	13	21	9	34
4000 rpm	28	45	12	45
4500 rpm	33	53	15	57
5000 rpm	36	58	18	68
5500 rpm	40	64	22	83
WOT	44	71	25	95



TWIN YAMAHA® F150XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	6	23
3000 rpm	21	34	7	26
3500 rpm	27	43	9	34
4000 rpm	32	52	10	38
4500 rpm	36	58	13	49
5000 rpm	40	64	18	68
5500 rpm	43	69	25	95
WOT	46	74	28	106

TWIN YAMAHA® F200XB & F200XCB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	5	19
2500 rpm	10	16	8	30
3000 rpm	23	37	8	30
3500 rpm	30	48	11	42
4000 rpm	37	60	15	57
4500 rpm	41	67	18	68
5000 rpm	46	74	25	95
5500 rpm	49	79	34	129
WOT	53	85	37	140

TWIN YAMAHA® F250XCB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
2000 rpm	9	14	7	26
2500 rpm	10	16	10	38
3000 rpm	14	23	12	45
3500 rpm	33	53	17	64
4000 rpm	40	64	22	83
4500 rpm	46	74	27	102
5000 rpm	52	84	34	128
5500 rpm	56	90	42	159
WOT	59	95	50	183

Performance and Fuel Flows may vary widely due to Boat Weight, Load, Atmospheric Conditions, Engine Conditions, Weight Distribution, Sea Conditions, Impeller, Boat Bottom Condition, and Operator Technique.